

WhatsApp 0675968383

sewandgrow.co.za

life can be a
breeze
AIRFLOW
3000

With Innovative
Jet-Air Threading
Technology



Make working on challenging fabrics a breeze
with our fastest and easiest jet-air threading
overlocker, the Brother Airflow 3000.

brother
at your side

WhatsApp 0675968383

sewandgrow.co.za

Give Your Creations
a Professional
Finishing Touch



This versatile and durable overlocker is a must-have for any sewing room. The AIRFLOW 3000 is more efficient than a traditional sewing machine as it can cut and finish seams all in one pass. Plus, changing threads is a breeze with Jet-Air Threading Technology.

The Airflow 3000 is ideal either for advanced sewers who already use a overlocker but are looking to upgrade, or for overlocker beginners who use a sewing machine for garment construction, home décor, crafting, and quilting, but are looking to add decorative finished to their projects.

Jet-Air Threading Technology

Thread the Airflow 3000 with a blast of air. With threading ports that connect to the end of each looper by tubes, jet-air sends the threads through the looper – all at the press of a button. So, it's like a breath of fresh air to change thread colours. No more lint build-up! As the threads are constantly moved through tubes by the jet-air technology, fluff or lint are kept to a minimum so as not to build up and clog the tubes.



* Wide Table requires
an additional purchase

We've built the Airflow 3000 for speed and ease.

Simply insert your thread into the threading holes and 'whoosh' our air system guides it through the loopers for you. By pairing air power with an advanced needle threader, threading an overlocker has never been so quick or easy.

Sew, why use an overlocker?

Whether you sew for fun or sew for work, overlockers are essential for producing professionally finished seams. Overlockers cut the fabric as they sew, giving you a clean finish on raw edges. They also encase seams with overlocking stitches, which prevents fraying.

What makes the Airflow 3000 sew special?

We're bringing affordable electronic air assisted technology to home use overlockers. But that's not all, it's packed with sew many features:

- Advanced needle threader
- 2, 3 or 4 thread stitching and 7 distinct finishes
- Differential feed of 0.7 to 2mm
- 5 – 7.5mm Stitch width
- Fast sewing speeds of up to 1,300spm
- Error LED light and safety stop mechanism
- Quick change levers for the rolled hemstitch feature and cutting knife
- Loads of included accessories!



The Airflow 3000 Jet-Air Overlocker is packed full of technology



Excellent Stitch Quality

This machine is ideal for working on challenging materials, like fine knits and stretchy fabrics. Achieve outstanding finishing touches with flatlock, overlock, and rolled hem stitches on most specialty fabrics.

Safety Sensor and Error LED

The machine will not start and an error LED light will come on – either when the fabric cover or front cover is open or if the presser foot is raised.

Brightly Lit Work Area

Enjoy high-quality LED lighting that's easy on the eyes when sewing on dark fabrics.

Differential Feed

The differential feed ratio (0.7mm to 2.0mm) provides outstanding stitch quality and acts as the tool for custom lettuce edge finishes on specialty materials.



Great for challenging materials

Excellent for adding professional finishing touches on fine knits and stretchy materials, which can be challenging on traditional sewing machines.

Quick Change Levers

It has a pair of quick-change levers for the rolled hemstitch feature, and a switch that will activate and deactivate the cutting knife before the edge is wrapped with thread.

Add a splash of professional-looking 2, 3, or 4 thread stitches



Two-thread overlock stitch - 2.8mm (7/64 inch)

Use two threads and the right needle, producing 2.8mm (7/64 inch) seams.

Use: For overlock stitching on suits, blouses, trousers and other garments. Ideal for fine to medium materials.

Two-thread overlock stitch - 5 mm (3/16 inch)

Use two threads and the left needle, producing 5mm (3/16 inch) seams.


Use: For overlock stitching on suits, blouses, trousers and other garments. Ideal for fine to medium materials.

Three-thread overlock stitch - 5mm (3/16 inch)

Use three threads and the left needle, producing 5mm (3/16 inch) seams.

Use: For overlock stitching on suits, blouses, trousers and other garments. Ideal for medium to heavy materials.

Note: Remove the right needle when sewing this overlock stitch.



Three-thread overlock stitch - 2.8mm (7/64 inch)

Use three threads and the right needle, producing 2.8mm (7/64 inch) seams.

Use: For overlock stitching on suits, blouses, trousers and other garments. Ideal for fine to medium materials.

Note: Remove the left needle when sewing this overlock stitch.

Narrow overlock/rolled hemming stitch

Use three threads to produce a decorative finish using a 3-thread overlock stitch.

Use: To complete the edge of a fabric as decorative or finishing stitch. Ideal for lightweight to midweight fabrics.

Note: Remove the left needle when sewing this overlock stitch.

Four-thread overlock stitch

Use all four threads and two needles for producing four-thread overlock stitches.

Use: Produces strong seams. Ideal for sewing knits and woven materials.

What's in the box

- Blind Stitch Foot
- Gathering Foot
- Piping Foot
- Foot Controller
- Trim Trap
- Threading Wire
- Needle Set
- Thread Spool Cap (4)
- Thread Net (4)
- Hexagonal Screwdriver
- Tweezers
- Cleaning Brush
- Accessory Bag
- Soft Cover
- Operation Manual

Optional Accessories

Push yourself further with the Airflow 3000's optional accessories.

Blind Stitch Foot (SA214)

Allows you to sew blind stitches, trim edges and overlock at the same time.

Gathering Foot (SA213)

Designed for gathering, sewing and edge finishing in one operation.

Piping Foot (SA210)

Guide and hold narrow piping as you sew two fabrics together.

Taping Foot (SA212)

Allows you to attach and sew elastic or tape, up to 12mm in width, in one easy step.

Wide Table (WTL3)

No project will be too big for you to handle with the Airflow 3000 overlocker wide table.





BASIC FEATURES

Number of Threads	2/3/4
Needle Angle	Leaning
Sewing Speed (Stitches Per Minute)	Up to 1,300
Stitch Length	1mm – 4mm
Differential Feed Ratio	0.7mm – 2.0mm
Stitch Width	5mm – 7.5mm
Overlock Seam Width	5mm – 7.5mm
Height of Presser Foot	5mm (Max 6mm)
Presser Foot Adjustment	✓
Air Threader	Jet-air Technology
Needle Threader	✓
Thread Tension	Manual
Switch to Rolled Hemming Stitch	Built-in
Sensor of Front Cover	✓
Sensor of Fabric Cover	✓
Sensor of Presser Foot Up/down	✓
Error LED	✓



Brother International South Africa
www.brother.co.za <https://support.brother.com/>

